Journal of Polymer Science

Part A-2: Polymer Physics

Volume 7, 1969

Board of Editors: H. MARK • C. G. OVERBERGER • T. G FOX

Advisory Editors: R. M. FUOSS • J. J. HERMANS • H. W. MELVILLE • G. SMETS

Editor: T. G FOX Assistant Editors: E. F. CASASSA • H. MARKOVITZ

Advisory Board:

G. ALLEN
Manchester

F. R. ANDERSON
Durham, N. C.

W. O. BAKER
Murray Hill, N. J.

H. BENOIT
Strasbourg

F. A. BOVEY
Murray Hill, N. J.

A. M. BUECHE
Schenectady, N. Y.

R. H. COLE
Providence, R. I.

H. EISENBERG
Rehovoth

J. D. FERRY
Madison, Wisc.

E. W. FISCHER
Mainz

P. J. FLORY
Stanford, Calif.

H. FUJITA
Osaka

G. GEE
Manchester

A. N. GENT
Akron, Ohio

W. E. GIBBS
Dayton, Ohio

S. GRATCH
Dearborn, Mich.

C. A. J. HOEVE
Washington, D. C.

J. D. HOFFMAN
Washington, D. C.

R. E. HUGHES
Ithaca, N. Y.

H. D. KEITH
Murray Hill, N. J.

A. KELLER
Bristol

A. J. KOVACS
Strasbourg

G. KRAUS
Bartlesville, Okla.

W. R. KRIGBAUM
Durham, N. C.

S. KRIMM
Ann Arbor, Mich.

M. KURATA
Kyoto

R. F. LANDEL
Pasadena, Calif.

P. H. LINDENMEYER
Durham, N. C.

L. MANDELKERN
Tallahassee, Florida

B. MAXWELL
Princeton, N. J.

L. NIELSEN
St. Louis, Mo.

A. PETERLIN
Durham, N. C.

R. S. PORTER
Amherst, Mass.

F. PRICE
Schenectady, N. Y.

G. V. SCHULZ
Mainz

A. R. SHULTZ
Schenectady, N. Y.

R. SIMHA
Los Angeles, Calif.

W. P. SLICHTER
Murray, Hill, N. J.

T. L. SMITH
Menlo Park, N. J.

W. O. STATTON
Wilmington, Del.

R. S. STEIN
Amherst, Mass.

W. H. STOCKMAYER
Hanover, N. H.

M. TAKAYANAGI
Fukuoka

A. V. TOBOLSKY
Princeton, N. J.

K. WOLF
Ludwigshafen

B. WUNDERLICH
Troy, N. Y.

INTERSCIENCE PUBLISHERS

Copyright © 1969 by John Wiley & Sons, Inc.

CONTENTS

Vol. 7, Issue Nos. 1–12

Journal of Polymer Science

Part A-2: Polymer Physics

ISSUE NO. 1, JANUARY

J. J. BURKE and T. A. OROFINO: Nylon 66 Polymers. I. Molecular Weight and Compositional Distribution 1

W. P. SHYLUK and R. W. SMITH: Poly(1,2-dimethyl-5-vinylpyridinium Methyl Sulfate). IV. Flocculation of Crystalline Silica 27

E. W. FISCHER, H. GODDAR, and G. F. SCHMIDT: Determination of Degree of Crystallinity of Drawn Polymers by Means of Density Measurements 37

L. H. TUNG: Determination of Branching Distribution by Concurrent GPC and Sedimentation Velocity Experiments 47

C. G. OPASKAR and S. KRIMM: Influence of Defects on the Infrared Spectra of Polymers 57

SUNG WON LEE: Weight Distribution Approach to the Theory of Random Depolymerization of Heterogeneous Chains 77

A. BAILEY and D. H. EVERETT: Morphology of Poly(vinylidene Chloride) and of the Carbons Resulting from Its Pyrolysis 87

HAROLD SCHONHORN and FRANK W. RYAN: Effect of Polymer Surface Morphology on Adhesion and Adhesive Joint Strength. II. FEP Teflon and Nylon 6 105

D. R. BUCHANAN and J. H. DUMBLETON: Effect of Annealing Conditions of the Structure of Drawn Nylon 66 Yarns 113

J. H. MAGILL: Formation of Spherulites in Polyamides. IV. Even-Odd Polyamides and Poly(ω-Aminocarboxylic Acids) 123

C. W. STEWART: Energy Dissipation by Pulsating Air Bubbles in a Viscoelastic Medium 143

NOBUHIRO TOYOTA and SUEO MACHI: Morphology of Polyethylene Crystals as Polymerized by γ-Radiation 153

W. V. SMITH and G. A. FELDMAN: Resolution of GPC Columns 163

SHIGEHARU ONOGI, TADAHIRO ASADA, and AKIRA TANAKA: Rheo-Optical Studies of High Polymers. XIV. Study of the Deformation Mechanism in Polymer Blends of Polypropylene with Ethylene-Propylene Rubber 171

R. P. Kambour and R. W. Kopp: Cyclic Stress-Strain Behavior of the Dry Polycarbonate Craze 183
Yasaku Wada, Akira Itani, Toshio Nishi, and Satoshi Nagai: Grüneisen Constant and Thermal Properties of Crystalline and Glassy Polymers 201
A. Dondos and D. Patterson: Intrinsic Viscosities of Polymers in Mixed Solvents 209
R. N. Haward: Compressibility of Polymers 219
L. M. Normandin and D. G. LeGrand: Form Birefringence in Biaxially Oriented Polypropylene 231
Katsukiyo Ito: Derivation of Distributions of the Degree of Polymerization by Probability Theory 241

Note

Sonja Krause: Microphase Separation in Block Copolymers: Zeroth Approximation 249

Book Review

Fracture in Polymers, by E. H. Andrews. Reviewed by Bernard Rosen 253
Information for Contributors 255

Issue No. 2, February

W. R. Krigbaum, J. V. Dawkins, and G. H. Via: Crystallite Orientation in Stretched Polychloroprene Networks. II 257
R. S. Stein, P. F. Erhardt, and W. Chu: Effect of Birefringence on Low-Angle Light-Scattering Patterns from Oriented Polymer Films 271
D. G. LeGrand: Effect of Birefringence on the Scattering of Light. 279
Nobuhiro Kuwahara, Shiro Higashida, Mitsuo Nakata, and Motozo Kaneko: Unperturbed Dimension of Poly-*N*-vinylcarbazole 285
T. C. Kendrick: Gel-Permeation Chromatography of Polydimethylsiloxanes 297
Samuel H. Maron and Richard B. Reznik: A New Method for Determination of Intrinsic Viscosity 309
Shunji Nomura, Sueo Kawabata, Hiromichi Kawai, Yutaka Yamaguchi, Akio Fukushima, ahd Hirokazu Takahara: Mechanical Anisotropy of Regenerated Cellulose Films in Relation to Orientations of Crystalline and Noncrystalline Phases ... 325
P. F. Mijnlieff and W. J. M. Jaspers: Thermodynamics of Swelling of Polymer-Network Gels. Analysis of Excluded Volume Effects in Polymer Solutions and Polymer Networks ... 357
Theodore Davidson and Bernhard Wunderlich: Differential Thermal Analysis of Polyethylene under High Pressure 377

J. M. CRISSMAN: Mechanical Relaxation in Polypropylene as a Function of Polymorphism and Degree of Lamella Orientation. 389
Y. I. CHANG and C. G. SUMMERFIELD: Observation of Optical Modes in Polyethylene by Neutron Scattering. 405
A. MATTIUSSI, G. B. GECHELE, and R. FRANCESCONI: Polyamides in Solution. III. Viscometry of Linear Polycaprolactam. 411

Notes

KAZUHIKO NINOMIYA and JOHN D. FERRY: Effects of Blending Sol and Gel Fractions on the Linear Viscoelastic Properties of Crosslinked Polymers. 423
L. H. SPERLING and D. W. FRIEDMAN: Synthesis and Mechanical Behavior of Interpenetrating Polymer Networks: Poly(ethyl Acrylate) and Polystyrene. 425

Book Review

Nuclear Magnetic Resonance Spectra and Chemical Structure, by Werner Brugel. Reviewed by JOHN D. ROBERTS. 429

Erratum

S. SOBAJIMA, N. TAKAGI, and H. WATASE: NMR Studies of Chlorinated Poly(vinyl Chloride) and Polybutadiene (article in *J. Polym. Sci A-2*, **6**, 223–230, 1968). 431

ISSUE NO. 3, MARCH

A. W. HENRY and G. J. SAFFORD: Study of Low-Frequency Molecular Motions in Polydimethylsiloxane Polymers by Neutron Inelastic Scattering. 433
M. LITT, F. RAHL and L. G. ROLDAN: Polymerization of Cyclic Imino Ethers. VI. X-Ray Study of Some Polyaziridines. 463
T. KATAOKA and S. UEDA: Influence of Superimposed Steady Shear Flow on the Dynamic Properties of Polyethylene Melts. . 475
WALLACE W. YAU: Steric Exclusion and Lateral Diffusion in Gel-Permeation Chromatography. 483
H. H. DEARMAN, F. T. LANG, and W. C. NEELY: Energy Transfer in Polymer Films: The Nylon 66-Proflavin System. 497
U. SHMUELI, W. TRAUB, and K. ROSENHECK: Structure of Poly(N-butyl Isocyanate). 515
V. FROSINI and A. E. WOODWARD: Effect of Orientation on Dynamic Shear Behavior of Some Amorphous Polymers from 4.2° to 300°K. 525
T. H. THOMAS and T. C. KENDRICK: Thermal Analysis of Polydimethylsiloxanes. I. Thermal Degradations in Controlled Atmospheres. 537
S. S. POLLACK and J. H. MAGILL: Small-Angle X-ray Scattering from Poly(tetramethyl-*p*-Silphenylene) Siloxane (TMPS) Fractions. 551

R. R. Buch, H. M. Klimisch, and O. K. Johannson: Light Scattering and Intrinsic Viscosity Investigation of Polymethyl-3,3,3-trifluoropropylsiloxamer 563
D. R. Beech and C. Booth: Unperturbed Dimensions of Poly(ethylene Oxide) 575

Note

C. W. Weaver and M. S. Patterson: Stress-Strain Properties of Rubber at Pressures Above the Glass Transition Pressure 587

Issue No. 4, April

Joanne R. Burns: Mechanism for Twisting in Polyethylene Spherulites 593
Daniel W. Brown and Leo A. Wall: Glass Transition Temperatures of Several Fluorine-Containing Polymers 601
H. Matsuda, K. Yamano, and H. Inagaki: Styrene-Methyl Acrylate Copolymers and Acrylate Homopolymers in Solution .. 609
Thor L. Smith and Ray A. Dickie: Effect of Finite Extensibility on the Viscoelastic Properties of a Styrene-Butadiene Rubber Vulcanizate in Simple Tensile Deformations Up to Rupture 635
J. M. Schultz and R. D. Scott: Temperature Dependence of Secondary Crystallization in Linear Polyethylene 659
J. H. Dumbleton: Chain Folding in Oriented Poly(ethylene Terephthalate) 667
Thor L. Smith and James A Rinde: Ultimate Tensile Properties of Elastomers. V. Rupture in Constrained Biazial Tensions. 675
Ray A. Dickie and Thor L. Smith: Ultimate Tensile Properties of Elastomers. VI. Strength and Extensibility of a Styrene-Butadiene Rubber Vulcanizate in Equal Biaxial Tension 687
Itsuro Kimura, Mitsuyasu Kagiyama, Shunji Nomura and Hiromichi Kawai: General Description of Optical (Dichroic) Orientation Factors for Relating Optical Anisotropy of Bulk Polymer to Orientation of Structural Units. Part II. Fourth Moments of Orientation Distribution and Polarized Fluorescence 709
D. Evans, J. T. Morgan, R. Sheldon, and G. B. Stapleton: Stress Relaxation of Natural Rubber During Irradiation 725
C. Bauwens-Crowet, J. C. Bauwens and G. Homés: Tensile Yield-Stress Behavior of Glassy Polymers 735

Note

J. H. Magill: Fracture Surface Morphology of Melt-Crystallized Poly(tetramethyl-*p*-silphenylene)siloxane(TMPS) Fractions 743

Book Reviews

A. N. GENT: Fracture in Polymers 747
R. I. TANNER: The Flow of High Polymers 747
SEYMOUR NEWMAN: Testing of Polymers, Vol. 3 749
JOHN D. HOFFMAN: Anelastic and Dielectric Effects in Polymeric Solids 750

Erratum

F. WILLMOUTH, A. KELLER, I. WARD and T. WILLIAMS: Gel Permeation Chromatography Studies of the Degradation of Polyethylene with Fuming Nitric Acid. III. Fibrous Stirring-Induced Crystals 751

ISSUE NO. 5, MAY

O. DELATYCKI, J. C. SHAW, and J. G. WILLIAMS: Viscoelastic Properties of Epoxy-Diamine Networks 753
R. SHELDEN, T. FUENO, and J. FURUKAWA: Statistical Models in the Study of Steroespecific Polymerization 763
P. L. LUISI and R. M. MAZO: Statistical Model of Stereospecific Polymerization of Vinyl Monomers 775
P. P. GILLIS: Effect of Hydrogen Bonds on the Axial Stiffness of Crystalline Native Cellulose 783
J. V. KOLESKE and R. D. LUNDBERG: Lactone Polymers. I. Glass Transition Temperature of Poly-ϵ-caprolactone by Means of Compatible Polymer Mixtures 795
K. D. ZIEGEL, H. K. FRENSDORFF, and D. E. BLAIR: Measurement of Hydrogen Isotope Transport in Poly(Vinyl Fluoride) Films by the Permeation-Rate Method 809
J. M. SCHULTZ: Transient Effects in the Crystallization of Polyethylene 821
J. G. RIDER and E. HARGREAVES: Yielding of Oriented Poly(vinyl Chloride) 829
U. BIANCHI, C. CUNIBERTI, E. PEDEMONTE, and C. ROSSI: Conformational Energy Contribution to the Heat of Solution in Polymer-Solvent Systems. Part I. Theory 845
U. BIANCHI, C. CUNIBERTI, E. PEDEMONTE, and C. ROSSI: Conformational Energy Contribution to the Heat of Solution in Polymer-Solvent Systems. Part II. Experimental Results ... 855
T. K. KWEI and H. M. ZUPKO: Diffusion in Glassy Polymers. I .. 867
H. L. FRISCH, T. T. WANG, and T. K. KWEI: Diffusion in Glassy Polymers. II 879
T. T. WANG and T. K. KWEI: Effect of Induced Thermal Stresses on the Coefficients of Thermal Expansion and Densities of Filled Polymers 889

J. V. Koleske and R. D. Lundberg: Unperturbed Dimensions of Poly-ϵ-caprolactone 897
C. Bruce and W. H. Schwarz: Rheological Properties of Ionic and Nonionic Polyacrylamide Solutions 909
Hiroshi Tanzawa, Tatsundo Tanaka, and Atsuhiko Soda: Dilute Solution Properties of Poly(α-methylstyrene Ethylene) "Regular" Sequence Copolymers 929
J. L. Lundberg, E. J. Mooney, and C. E. Rogers: Diffusion and Solubility of Methane in Polyisobutylene 947

Issue No. 6, June

Takeaki Miyanoto and Hiroshi Inagaki: Structural and Steric Isomerism of Polypropylenes 963
K. R. Krishna Iyer, P. Neelakantan, and T. Radhakrishnan: Birefringence of Native Cellulosic Fibers. Part II. Spiral Structure of Cotton 983
Mitsuo Ishikawa: Effects of Ultraviolet Radiation on Aqueous Polyelectrolyte Solutions 993
T. M. Connor and A. Hartland: Rotating Frame Proton Spin-Lattice Relaxation Measurements of Poly(ethylene Oxides) 1005
Richard S. Stein: Effect of the Internal Field on the Birefringence of Polymer Crystals 1021
J. P. Bell and J. H. Dumbleton: Relation between Melting Behavior and Physical Structure in Polymers 1033
James P. Bell and Takayuki Murayama: Relations between Dynamic Mechanical Properties and Melting Behavior of Nylon 66 and Poly(ethylene Terephthalate) 1059
J. L. Koenig and D. Druesedow: Raman Spectra of Extended-Chain Syndiotactic Poly(vinyl Chloride) 1075
M. J. Hannon and J. L. Koenig: Infrared Studies of Cryogenic Transitions in Poly(ethylene Terephthalate) 1085
Alessandro D'Aprano and Raymond M. Fuoss: Swelling of Crosslinked Poly-4-vinylpyridine 1101

Notes

Ronald A. Shelden: Effects of Catalyst Heterogeneity on Polymer Tacticity 1111
A. W. Fogiel and C. W. Stewart, Sr.: Effect of Monofunctional Reactants on Gel Point in Polycondensation Reactions 1116
Stanley Y. Hobbs and Fred W. Billmeyer, Jr.: Crystal Unit-Cell Dimensions and Densities of Linear Aliphatic Polyesters ... 1119

Issue No. 7, July

Toshihide Ishikawa and Kazuo Nagai: Stress-Optical Coefficient of *cis*-1,4-Polybutadiene and *cis*-1,4-Polyisoprene Net-

works. Measurements on *cis*-1,4-Polybutadiene Networks and Theoretical Interpretation 1123
A. Peterlin: Bond Rupture in Highly Oriented Crystalline Polymers 1151
Buckley Crist and A. Peterlin: Spin Lattice Relaxation in Linear Polyethylene 1165
J. H. Magill: Spherulitic Crystallization Studies of Poly(tetramethyl-*p*-silphenylene)-siloxane (TMPS). Part III 1187
Robert J. Samuels: Solid-State Characterization of the Structure and Deformation Behavior of Water-Soluble Hydroxypropylcellulose 1197
Kinzo Ishikawa, Keizo Miyasaka, Masahiko Maeda, and Mitsuo Yamada: Typical Fiber Structure 1259

Notes

F. J. Baltá-Calleja and A. Peterlin: The Limiting Axial Long Period of Drawn Polypropylene 1275
D. E. Witenhafer and J. L. Koenig: Effect of Bromine on Polyethylene Crystals 1279

Book Review

Michael C. Williams: The Flow of High Polymers 1281

Issue No. 8, August

Takashi Inoue, Toshiichi Soen, Takeji Hashimoto, and Hiromichi Kawai: Thermodynamic Interpretation of Domain Structure in Solvent-Cast Films of A-B Type Block Copolymers of Styrene and Isoprene 1283
Kinya Yamaguchi and Schigeru Saeda: Chromatographic Fraction of Polystyrene: An Evaluation of the Nature of Column Fractionation 1303
Richard E. Robertson: Formation of Kink Bands in Oriented Polymers 1315
R. W. Gray and N. G. McCrum: Origin of the γ Relaxations in Polyethylene and Polytetrafluoroethylene 1329
Ljerka Lovrić: Fractionation of Styrene-Acrylonitrile Copolymers 1357
R. G. Vadimsky, H. D. Keith, and F. J. Padden, Jr.: Electron Microscopic Study of Deformation in Polyethylene 1367
George L. Gaines, Jr.: Surface Tension of Polymer Solutions. II. Poly-Isobutylenes in *n*-Heptane and Tetralin 1379
F. Bueche and Güngör Tokcan: Polymer Chain Motion from Viscosity and Dielectric Dispersion Measurements 1385
R. P. Kambour and A. S. Holik: Electron Microscopy of Crazes in Glassy Polymers: Use of Reinforcing Impregnants during Microtomy 1393

HIROYUKI SASABE, SHOGO SAITO, MITSUO ASAHINA, and HARUKO KAKUTANI: Dielectric Relaxations in Poly(vinylidene Fluoride) 1405

F. R. COTTRELL, E. W. MERRILL, and K. A. SMITH: Conformation of Polyisobutylene in Dilute Solution Subjected to a Hydrodynamic Shear Field 1415

Notes

M. L. WALLACH: Polyamic Acid Solution Viscosity 1435

TAISUKE ITO, NOBUO SUGIURA and HIROMICHI KAWAI: Deformation of Polyethylene under Compression 1439

KEI MATSUZAKI, KAZUYUKI SAKOTA, and MUNEHISA OKADA: NMR Study of Mode Compounds of Poly(methylene Vinyl Ether) 1444

ISSUE NO. 9, SEPTEMER

ROY-CHOWDHURY, P: Adiabatic Compressibility of Polyelectrolytes in Aqueous Solutions. II. Poly(4-vinyl-*N*-*n*-butylpyridinium Bromide 1451

ARAKAWA, T., NAGATOSHI, F., and ARAI, N.: Melting Behavior and Morphology of Drawn Nylon 6 1461

KAKUTANI, H. and ASAHINA, M.: Mechanical and Dielectric Absorption of Poly(vinyl Chloride) and Some Related Polymers ... 1473

GENT, A. N. and TOMPKINS, D. A.: Surface Energy Effects for Small Holes or Particles in Elastomers 1483

BOERIO, F. J. and KOENIG, J. L.: Raman Scattering in Nonplanar Poly(vinylidene Fluoride) 1489

MALCOLM, G. N., BAIRD, C. E., BRUCE, G. R., CHEYNE, K. G., KERSHAW, R. W., and PRATT, M. C.: Thermodynamics of Polyether Solutions 1495

KLARMAN, A. F., GALANTI, A. V., and SPERLING, L. H.: Transition Temperatures and Structural Correlations for Cellulose Triesters 1513

WILKES, G. L. and STEIN, R. S.: Effect of Morphology on the Mechanical and Rheo-optical Properties of a Styrene-Butadiene Styrene Block Copolymer 1525

RHODES, M. B. and STEIN, R. S.: Scattering of Light from Assemblies of Oriented Rods 1539

KAWAMURA, Y., NAGAI, S., HIROSE, J., and WADA, Y.: Study of the Side-Chain Relaxation of Methacrylate Homopolymers and Copolymers by the Dielectric Method 1559

SHULTZ, A. R. and MCCULLOUGH, C. R.: Melting Temperatures of Poly(2,6-dimethyl-1,4-phenylene oxide) in Methylene Chloride Solutions: Thermodynamic Analysis 1577

WARD, I. M. and WILLIAMS, T: Random Attack Model for Polyethylene Degradation 1585

BLOKLAND, R. and PRINS, W.: Elasticity and Structure of Chemically Crosslinked Polyurethanes 1595

Notes

CHIKLIS, C. K. and GRASSHOFF, J. M.: An Optical Microscope Technique for Measuring the Swelling of Thin Films 1619

TUNG, L. H. and KNIGHT, G. W.: GPC and Sedimentation (Flotation) Velocity Measurements on Linear and Branched Polyethylene 1623

ISSUE NO. 10, OCTOBER

A. VRIJ: Influence of an Interfacial Free-Energy Correction on the Expansion of a Polymer Coil in a Solvent 1627

EDWARD G. LOVERING and DAVID C. WOODEN: Transitions in *Trans*-1,4-Polyisoprene 1639

A. E. WOODWARD and D. R. MORROW: Plastic Deformation of Poly-4-methylpentene-1 Crystals 1651

HIROSHI ENDO, TERUO FUJIMOTO, and MITSURU NAGASAWA: Volume Recovery of Glassy Poly-α-methylstyrene 1669

JOSEF JANÁČEK and JOHN D. FERRY: Viscoelastic Properties of Crosslinked Solutions of Poly(β-hydroxyethyl Methacrylate) in Diethylene Glycol. II. Dependence of Creep Compliance on Concentration in the Rubbery Zone 1681

RICHARD S. STEIN and GARTH L. WILKES: Scattering of Light from Deformed Regions Surrounding Voids and Inclusions in High Polymers 1695

LAWRENCE E. NIELSEN and THOMAS B. LEWIS: Temperature Dependence of Relative Modulus in Filled Polymer Systems 1705

R. D. MCCAMMON, R. G. SABA, and R. N. WORK: Dielectric Properties of Polystyrene and Some Polychlorostyrenes from 4°K to Room Temperature 1721

HIROATSU MATSUURA and TATSUO MIYAZAWA: Vibrational Analysis of Molten Poly(ethylene glycol) 1735

J. C. BAUWENS, C. BAUWENS-CROWET, and G. HOMÈS: Tensile Yield-Stress Behavior of Poly(vinyl Chloride) and Polycarbonate in the Glass Transition Region 1745

J. M. G. FATOU and J. M. BARRALES-RIENDA: Rates of Crystallization of Polyethylene Fractions by Calorimetry 1755

A. BROIDO: A Simple, Sensitive Graphical Method of Treating Thermogravimetric Analysis Data 1761

JAMES N. LITTLE, JAMES L. WATERS, KARL J. BOMBAUGH, and WILLIAM J. PAUPLIS: Fast Gel-Permeation Chromatography. I. A Study of Operational Parameters 1775

M. I. BANK and S. KRIMM: Infrared Study of Chain Folding 1785

D. R. PAUL: Effect of Immobilizing Adsorption on the Diffusion Time Lag 1811

Issue No. 11, November

Sadler, D. M., Williams, T., Keller A., and Ward, I. M.: GPC Analysis of Degraded Annealed Single Crystals 1819
Ishida, Y.: Dielectric Relaxation of High Polymers in the Solid State 1835
Hansen, K. E. and Forsman, W. C.: Statistics of Extreme Values Applied to the Brittle Fracture of Poly(Methyl Methacrylate) Containing Polytetrafluoroethylene Particles 1863
Devoy, C. and Mandelkern, L.: Effect of Molecular Weight on the Radial Growth Rates of Polymer Spherulites 1883
Kells, D. I. C. and Guillet, J. E.: Calculation of Molecular Weight Distributions for Polymers Undergoing Random Crosslinking and Scission 1895
Hopkins, R. C.: Dynamic Strain-Birefringence Apparatus for Polymer Films 1907
Graessley, W. W., Hartung, R. D., and Uy, W. C.: Studies of Branching in Polyvinyl Acetate 1919
Saito, O., Nagasubramanian, K., and Graessley, W. W.: Molecular Weight Distribution in Branched Polymers 1937
Nagasubramanian, K., Saito, O., and Graessley, W. W.: Intrinsic Viscosity in Branched Free-Radical Polymers 1955
Cornell, S. W. and Koenig, J. L.: Laser-Excited Raman Scattering in Polybutene-1 1965

Notes

William V. Johnston and Mitchel Shen: Glass Transition of Stretched Natural Rubber 1983

Issue No. 12, December

Ján Letz: Diffuse Interphase Layer in Microheterogeneous Polymer Mixtures 1987
M. L. Wallach: Polyimide Solution Properties 1995
Andrzej Ziabicki and R. Takserman-Krozer: General Dynamic Theory of Macromolecular Networks. I. Definitions and Classification 2005
T. T. Wand, T. K. Kwei, and H. L. Frisch: Diffusion in Glassy Polymers. III 2019
Kinzo Ishikawa, Keizo Miyasaka, and Masahiko Maeda: Drawing of Single-Crystal Mats of Linear Polyethylene 2029
Bernhard Wunderlich and Theodore Davidson: Extended-Chain Crystals. I. General Crystallization Conditions and Review of Pressure Crystallization of Polyethylene 2043
Theodore Davidson and Bernard Wunderlich: Extended-Chain Crystals. II. Crystallization of Polyethylene under Elevated Pressure 2051

R. Bruce Prime and Bernhard Wunderlich: Extended-Chain Crystals. III. Size Distribution of Polyethylene Crystals Grown under Elevated Pressure 2061
R. Bruce Prime and Bernhard Wunderlich: Extended-Chain Crystals. IV. Melting under Equilibrium Conditions 2073
R. Bruce Prime, Bernhard Wunderlich, and Louis Melillo: Extended-Chain Crystals. V. Thermal Analysis and Electron Microscopy of the Melting Process in Polyethylene 2091
Charles L. Gruner, Bernhard Wunderlich, and Richard C. Bopp: Extended-Chain Crystals. VI. Annealing of Polyethylene under Elevated Pressure 2099
Y. Shindo and R. S. Stein: Birefringence and Dichroism of Rubbery Copolymers 2115

Book Reviews

Technical Dictionary of High Polymers, by Wladimir Dawydoff and Horst Howorka. Reviewed by Edward F. Casassa 2141
Surface and Colloid Science. Vols. 1 and 2, by Egon Matijević, Ed. Reviewed by G. L. Brown 2142
Phenolic Resins, by A. A. K. Whitehouse, E. G. K. Pritchett, and G. Barnett. Reviewed by James H. Freeman 2143
Modern Composite Materials, by Lawrence J. Broutman and Richard H. Krock, Ed. Reviewed by Lawrence E. Nielsen. 2144

Erratum

T. Ito, N. Sugiura, and H. Kawai: Deformation of Polyethylene under Compression 2143

Author Index 2145

Subject Index 2151

Volume Title page i

Volume Contents iii

AUTHOR INDEX, VOLUME 7

Arai, N.: see Arakawa, T.
Arakawa, T., Nagatoshi, F., and Arai, N.: Melting Behavior and Morphology of Drawn Nylon 6, 1461
Asada, T.: see Onogi, S.
Asahina, M.: see Kakutani, H.
——: see Sasabe, H.
Bailey, A. and Everett, D. H.: Morphology of Poly(vinylidene Chloride) and of the Carbons Resulting from Its Pyrolysis, 87
Baird, C. E.: see Malcolm, G. N.
Baltá-Calleja, F. J. and Peterlin, A.: The Limiting Axial Long Period of Drawn Polypropylene, 1275
Bank, M. I. and Krimm, S.: Infrared Study of Chain Folding, 1785
Barrales-Rienda, J. M.: see Fatou, J. M. G.
Bauwens, J. C., Bauwens-Crowet, C., and Homès, G.: Tensile Yield-Stress Behavior of Poly(vinyl Chloride) and Polycarbonate in the Glass Transition Region, 1745
——: see Bauwens-Crowet, C.
Bauwens-Crowet, C., Bauwens, J. C., and Homès, G.: Tensile Yield-Stress Behavior of Glassy Polymers, 735
——: see Bauwens, J. C.
Beech, D. R. and Booth, C.: Unperturbed Dimensions of Poly(ethylene Oxide), 575
Bell, J. P. and Dumbleton, J. H.: Relation between Melting Behavior and Physical Structure in Polymers, 1033
——, Murayama, T.: Relations between Dynamic Mechanical Properties and Melting Behavior of Nylon 66 and Poly(ethylene Terephthalate), 1059
Bianchi, U., Cuniberti, C., Pedemonte, E., and Rossi, C.: Conformational Energy Contribution to the Heat of Solution in Polymer-Solvent Systems. I. Theory, 845; II. Experimental Results, 855
Billmeyer, Jr., F. W.: see Hobbs, S. Y.
Blair, D. E.: see Ziegel, K. D.
Blokland, R. and Prins, W.: Elasticity and Structure of Chemically Crosslinked Polyurethanes, 1595
Boerio, F. J. and Koenig, J. L.: Raman Scattering in Nonplanar Poly(vinylidene Fluoride), 1489
Bombaugh, K. J.: see Little, J. N.
Booth, C.: see Beech, D. R.
Bopp, R. C.: see Gruner, C. L.
Broido, A.: A Simple, Sensitive Graphical Method of Treating Thermogravimetric Analysis Data, 1761
Brown, D. W. and Wall, L. A.: Glass Transition Temperatures of Several Fluorine-Containing Polymers, 601
Bruce, C. and Schwarz, W. H.: Rheological Properties of Ionic and Nonionic Polyacrylamide Solutions, 909
Bruce, G. R.: see Malcolm, G. N.
Buch, R. R., Klimisch, H. M., and Johannson, O. K.: Light Scattering and Intrinsic Viscosity Investigation of Polymethyl-3,3,3-trifluoropropylsiloxamer, 563
Buchanan, D. R. and Dumbleton, J. H.: Effect of Annealing Conditions on the Structure of Drawn Nylon 66 Yarns, 113
Bueche, F. and Tokcan, G.: Polymer Chain Motion from Viscosity and Dielectric Dispersion Measurements, 1385
Burke, J. J. and Orofino, T. A.: Nylon 66 Polymers. I. Molecular Weight and Compositional Distribution, 1
Burns, J. R.: Mechanism for Twisting in Polyethylene Spherulites, 593
Chang, Y. I. and Summerfield, G. C.: Observation of Optical Modes in Polyethylene by Neutron Scattering, 405
Cheyne, K. G.: see Malcolm, G. N.
Chiklis, C. K. and Grasshoff, J. M.: An Optical Microscope Technique for Measuring the Swelling of Thin Films, 1619
Chu, W.: see Stein, R. S.
Connor, T. M. and Hartland, A.: Rotating Frame Proton Spin-Lattice Relaxation Measurements of Poly(ethylene Oxides), 1005
Cornell, S. W. and Koenig, J. L.: Laser-Excited Raman Scattering in Polybutene-1, 1965
Cottrell, F. R., Merrill, E. W., and Smith, K. A.: Conformation of Polyisobutylene in Dilute Solution Subjected to a Hydrodynamic Shear Field, 1415
Crissman, J. M.: Mechanical Relaxation in Polypropylene as a Function of Polymorphism and Degree of Lamella Orientation, 389
Crist, B. and Peterlin, A.: Spin Lattice Relaxation in Linear Polyethylene, 1165
Cuniberti, C.: see Bianchi, U.
D'Aprano, A. and Fuoss, R. M.: Swelling of Crosslinked Poly-4-vinylpyridine, 1101
Davidson, T. and Wunderlich, B.: Differential Thermal Analysis of Polyethylene under High Pressure, 377
—— and ——: Extended-Chain Crystals. II. Crystallization of Polyethylene under Elevated Pressure, 2051
——: see Wunderlich, B.
Dawkins, J. V.: see Krigbaum, W. R.

Dearman, H. H., Lang, F. T., and Neely, W. C.: Energy Transfer in Polymer Films: The Nylon 66-Proflavine System, 497
Delatycki, O., Shaw, J. C., and Williams, J. G.: Viscoelastic Properties of Epoxy-Diamine Networks, 753
Devoy, C. and Mandelkern, L.: Effect of Molecular Weight on the Radial Growth Rates of Polymer Spherulites, 1883
Dickie, R. A. and Smith, T. L.: Ultimate Tensile Properties of Elastomers. VI. Strength and Extensibility of a Styrene-Butadiene Rubber Vulcanizate in Equal Biaxial Tension, 687
——: see Smith, T. L.
Dondos, A. and Patterson, D.: Intrinsic Viscosities of Polymers in Mixed Solvents, 209
Druesedow, D.: see Koenig, J. L.
Dumbleton, H. H.: see Buchanan, D. R.
Dumbleton, J. H.: Chain Folding in Oriented Poly(ethylene Terephthalate), 667
——: see Bell, J. P.
Endo, H., Fujimoto, T., and Nagasawa, M.: Volume Recovery of Glassy Poly-α-methylstyrene, 1669
Erhardt, P. F.: see Stein, R. S.
Evans, D., Morgan, J. T., Sheldon, R., and Stapleton, G. B.: Stress Relaxation of Natural Rubber during Irradiation, 725
Everett, D. H.: see Bailey, A.
Fatou, J. M. G. and Barrales-Rienda, J. M.: Rates of Crystallization of Polyethylene Fractions by Calorimetry, 1755
Feldman, G. A.: see Smith, W. V.
Ferry, J. D.: see Janáček, J.
——: see Ninomiya, K.
Fischer, E. W., Goddar, H., and Schmidt, G. F.: Determination of Degree of Crystallinity of Drawn Polymers by Means of Density Measurements, 37
Fogiel, A. W. and Stewart, Sr., C. W.: Effect of Monofunctional Reactants on Gel Point in Polycondensation Reactions, 1116
Forsman, W. C.: see Hansen, K. E.
Francesconi, R.: see Mattiussi, A.
Frensdorff, H. K.: see Ziegel, K. D.
Friedman, D. W.: see Sperling, L. H.
Frisch, H. L., Wang, T. T., and Kwei, T. K.: Diffusion in Glassy Polymers. II., 879
——: see Wand, T. T.
Frosini, V. and Woodward, A. E.: Effect of Orientation on Dynamic Shear Behavior of Some Amorphous Polymers from 4.2° to 300°K, 525
Fueno, T.: see Shelden, R.
Fujimoto, T.: see Endo, H.
Fukushima, A.: see Nomura, S.
Fuoss, R. M.: see D'Aprano, A.
Furukawa, J.: see Shelden, R.
Gaines, Jr., G. L.: Surface Tension of Polymer Solutions. II. Polyisobutylenes in n-Heptane and Tetralin, 1379
Galanti, A. V.: see Klarman, A. F.
Gechele, G. B.: see Mattiussi, A.
Gent, A. N. and Tompkins, D. A.: Surface Energy Effects for Small Holes or Particles in Elastomers, 1483
Gillis, P. P.: Effect of Hydrogen Bonds on the Axial Stiffness of Crystalline Native Cellulose, 783
Goddar, H.: see Fischer, E. W.
Graessley, W. W., Hartung, R. D., and Uy, W. C.: Studies of Branching in Polyvinyl Acetate, 1919
——: see Nagasubramanian, K.
——: see Saito, O.
Grasshoff, J. M.: see Chiklis, C. K.
Gray, R. W. and McCrum, N. G.: Origin of the γ Relaxations in Polyethylene and Polytetrafluoroethylene, 1329
Gruner, C. L., Wunderlich, B., and Bopp, R. C.: Extended-Chain Crystals. VI. Annealing of Polyethylene under Elevated Pressure, 2099
Guillet, J. E.: see Kells, D. I. C.
Hannon, M. J. and Koenig, J. L.: Infrared Studies of Cryogenic Transitions in Poly(ethylene Terephthalate), 1085
Hansen, K. E. and Forsman, W. C.: Statistics of Extreme Values Applied to the Brittle Fracture of Poly(Methyl Methacrylate) Containing Polytetrafluoroethylene Particles, 1863
Hargreaves, E.: see Rider, J. G.
Hartland, A.: see Connor, T. M.
Hartung, R. D.: see Graessley, W. W.
Hashimoto, T.: see Takashi, I.
Haward, R. N.: Compressibility of Polymers, 219
Henry, A. W. and Safford, G. J.: Study of Low-Frequency Molecular Motions in Polydimethylsiloxane Polymers by Neutron Inelastic Scattering, 433
Higashida, S.: see Kuwahara, N.
Hirose, J.: see Kawamura, Y.
Hobbs, S. Y. and Billmeyer, Jr. F. W.: Crystal Unit-Cell Dimensions and Densities of Linear Aliphatic Polyesters, 1119
Holik, A. S.: see Kambour, R. P.
Homès, G.: see Bauwens, J. C.
——: see Bauwens-Crowet, C.
Hopkins, R. C.: Dynamic Strain-Birefringence Apparatus for Polymer Films, 1907
Inagaki, H.: see Matsuda, H.
——: see Miyanoto, T.
Ishida, Y.: Dielectric Relaxation of High Polymers in the Solid State, 1835
Ishikawa, K., Miyasaka, K., and Maeda, M.: Drawing of Single-Crystal Mats of Linear Polyethylene, 2029
——, Miyasaka, K., Maeda, M., and Yamada, M.: Typical Fiber Structure, 1259
Ishikawa, M.: Effects of Ultraviolet Radiation on Aqueous Polyelectrolyte Solutions, 993

Ishikawa, T. and Nagai, K.: Stress-Optical Coefficient of *cis*-1,4-Polybutadiene and *cis*-1,4-Polyisoprene Networks. Measurements on *cis*-1,4-Polybutadiene Networks and Theoretical Interpretation, 1123
Itani, A.: see Wada, Y.
Ito, K.: Derivation of Distributions of the Degree of Polymerization by Probability Theory, 241
Ito, T., Sugiura, N., and Kawai, H.: Deformation of Polyethylene under Compression, 1439
——: erratum, 2143
Iyer, K. R. K., Neelakantan, P., and Radhakrishnan, T.: Birefringence of Native Cellulosic Fibers. II. Spiral Structure of Cotton, 983
Janáček, J. and Ferry, J. D.: Viscoelastic Properties of Crosslinked Solutions of Poly(β-hydroxyethyl Methacrylate) in Diethylene Glycol. II. Dependence of Creep Compliance on Concentration in the Rubbery Zone, 1681
Jaspers, W. J. M.: see Mijnlieff, P. F.
Johannson, O. K.: see Buch, R. R.
Johnston, W. V. and Shen, M.: Glass Transition of Stretched Natural Rubber, 1983
Kagiyama, M.: see Kimura, I.
Kakutani, H. and Asahina, M.: Mechanical and Dielectric Absorption of Poly(vinyl Chloride) and Some Related Polymers, 1473
——: see Sasabe, H.
Kambour, R. P. and Holik, A. S.: Electron Microscopy of Crazes in Glass Polymers: Use of Reinforcing Impregnants during Microtomy, 1393
—— and Kopp, R. W.: Cyclic Stress-Strain Behavior of the Dry Polycarbonate Craze, 183
Kaneko, M.: see Kuwahara, N.
Kataoka, T. and Ueda, S.: Influence of Superimposed Steady Shear Flow on the Dynamic Properties of Polyethylene Melts, 475
Kawabata, S.: see Nomura, S.
Kawai, H.: see Ito, T.
——: see Kimura, I.
——: see Nomura, S.
——: see Takashi, I.
Kawamura, Y., Nagai, S., Hirose, J., and Wada, Y.: Study of the Side-Chain Relaxation of Methacrylate Homopolymers and Copolymers by the Dielectric Method, 1559
Keith, H. D.: see Vadimsky, R. G.
Keller, A.: see Sadler, D. M.
Kells, D. I. C. and Guillet, J. E.: Calculation of Molecular Weight Distributions for Polymers Undergoing Random Crosslinking and Scission, 1895
Kendrick, T. C.: Gel-Permeation Chromatography of Polydimethylsiloxanes, 297
——: see Thomas, T. H.
Kershaw, R. W.: see Malcolm, G. N.
Kimura, I., Kagiyama, M., Nomura, S., and Kawai, H.: General Description of Optical (Dichroic) Orientation Factors for Relating Optical Anisotropy of Bulk Polymer to Orientation of Structural Units. II. Fourth Moments of Orientation Distribution and Polarized Fluorescence, 709
Klarman, A. F., Galanti, A. V., and Sperling, L. H.: Transition Temperatures and Structural Correlations for Cellulose Triesters, 1513
Klimisch, H. M.: see Buch, R. R.
Knight, G. W.: see Tung, L. H.
Koenig, J. L. and Druesedow, D.: Raman Spectra of Extended-Chain Syndiotactic Poly(vinyl Chloride), 1075
——: see Boerio, F. J.
——: see Cornell, S. W.
——: see Hannon, M. J.
——: see Witenhafer, D. E.
Koleske, J. V. and Lundberg, R. D.: Lactone Polymers. I. Glass Transition Temperature of Poly-ε-Caprolactone by Means of Compatible Polymer Mixtures, 795
—— and ——: Unperturbed Dimensions of Poly-ε-Caprolactone, 897
Kopp, R. W.: see Kambour, R. P.
Krause, S.: Microphase Separation in Block Copolymers: Zeroth Approximation, 249
Krigbaum, W. R., Dawkins, J. V., and Via, G. H.: Crystallite Orientation in Stretched Polychloroprene Networks. II, 257
Krimm, S.: see Bank, M. I.
——: see Opaskar, C. G.
Kuwahara, N., Higashida, S., Nakata, M., and Kaneko, M.: Unperturbed Dimension of Poly-*N*-vinylcarbazole, 285
Kwei, T. K. and Zupko, H. M.: Diffusion in Glassy Polymers. I., 867
——: see Frisch, H. L.
——: see Wand, T. T.
——: see Wang, T. T.
Lang, F. T.: see Dearman, H. H.
Lee, W. S.: Weight Distribution Approach to the Theory of Random Depolymerization of Heterogeneous Chains, 77
LeGrand, D. G.: Effect of Birefringence on the Scattering of Light, 279
——: see Normandin, L. M.
Letz, J.: Diffuse Interphase Layer in Microheterogeneous Polymer Mixtures, 1987
Lewis, T. B.: see Nielsen, L. E.
Litt, M., Rahl, F., and Roldan, L. G.: Polymerization of Cyclic Imino Ethers. VI. X-Ray Study of Some Polyaziridines, 463
Little, J. N., Waters, J. L., Bombaugh, K. J., and Pauplis, W. J.: Fast Gel-Permeation Chromatography. I. A Study of Operational Parameters, 1775
Lovering, E. G. and Wooden, D. C.: Transitions in *Trans*-1,4-Polyisoprene, 1639

Lovrić, L.: Fractionation of Styrene-Acrylonitrile Copolymers, 1357
Luisi, P. L. and Mazo, R. M.: Statistical Model of Stereospecific Polymerization of Vinyl Monomers, 775
Lundberg, J. L., Mooney, E. J., and Rogers, C. E.: Diffusion and Solubility of Methane in Polyisobutylene, 947
Lundberg, R. D.: see Koleske, J. V.
Machi, S.: see Toyta, N.
Maeda, M.: see Ishikawa, K.
Magill, J. H.: Formation of Spherulites in Polyamides. IV. Even-Odd Polyamides and Poly(ω-Aminocarboxylic Acids), 123
——: Fracture Surface Morphology of Melt-Crystallized Poly(tetramethyl-*p*-silphenylene)siloxane (TMPS) Fractions, 743
——: Spherulitic Crystallization Studies of Poly(tetramethyl-*p*-silphenylene)-siloxane (TMPS). Part III, 1187
——: see Pollack, S. S.
Malcolm, G. N., Baird, C. E., Bruce, G. R., Cheyne, K. G., Kershaw, R. W., and Pratt, M. C.: Thermodynamics of Polyether Solutions, 1495
Mandelkern, L.: see Devoy, C.
Maron, S. H. and Reznik, R. B.: A New Method for Determination of Intrinsic Viscosity, 309
Matsuda, H., Yamano, K., and Inagaki, H.: Styrene-Methyl Acrylate Copolymers and Acrylate Homopolymers in Solution, 609
Matsuura, H. and Miyazawa, T.: Vibrational Analysis of Molten Poly(ethylene glycol), 1735
Matsuzaki, K., Sakota, K., and Okada, M.: NMR Study of Model Compounds of Poly(methylene Vinyl Ether), 1444
Mattiussi, A., Gechele, G. B., and Francesconi, R.: Polyamides in Solution. III., Viscometry of Linear Polycaprolactam, 411
Mazo, R. M.: see Luisi, P. L.
McCammon, R. D., Saba, R. G., and Work, R. N.: Dielectric Properties of Polystyrene and Some Polychlorostyrenes from 4°K to Room Temperature, 1721
McCrum, N. G.: see Gray, R. W.
McCullough, C. R.: see Shultz, A. R.
Melillo, L.: see Prime, R. B.
Merrill, E. W.: see Cottrell, F. R.
Mijnlieff, P. F. and Jaspers, W. J. M.: Thermodynamics of Swelling of Polymer-Network Gels. Analysis of Excluded Volume Effects in Polymer Solutions and Polymer Networks, 357
Miyanoto, T. and Inagaki, H.: Structural and Steric Isomerism of Polypropylenes, 963
Miyasaka, K.: see Ishikawa, K.
Miyazawa, T.: see Matsuura, H.
Mooney, E. J.: see Lundberg, J. L.
Morgan, J. T.: see Evans, D.
Morrow, D. R.: see Woodward, A. E.
Murayama, T.: see Bell, J. P.
Nagai, K.: see Ishikawa, T.
Nagai, S.: see Kawamura, Y.
——: see Wada, Y.
Nagasawa, M.: see Endo, H.
Nagasubramanian, K., Saito, O., and Graessley, W. W.: Intrinsic Viscosity in Branched Free-Radical Polymers, 1955
——, see Saito, O.
Nagatoshi, F.: see Arakawa, T.
Nakata, M.: see Kuwahara, N.
Neelakantan, P.: see Iyer, K.R.K.
Neely, W. C.: see Dearman, H. H.
Nielsen, L. E. and Lewis, T. B.: Temperature Dependence of Relative Modulus in Filled Polymer Systems, 1705
Ninomiya, K. and Ferry, J. D.: Effects of Blending Sol and Gel Fractions on the Linear Viscoelastic Properties of Crosslinked Polymers, 423
Nishi, T.: see Wada, Y.
Nomura, S., Kawabata, S., Kawai, H., Yamaguchi, Y., Fukushima, A., and Takahara, H.: Mechanical Anisotropy of Regenerated Cellulose Films in Relation to Orientations of Crystalline and Noncrystalline Phases, 325
——: see Kimura, I.
Normandin, L. M. and LeGrand, D. G.: Form Birefringence in Biaxially Oriented Polypropylene, 231
Okada, M.: see Matsuzaki, K.
Onogi, S., Asada, T., and Tanaka, A.: Rheo-Optical Studies of High Polymers. XIV. Study of the Deformation Mechanism in Polymer Blends of Polypropylene with Ethylene-Propylene Rubber, 171
Opaskar, C. G. and Krimm, S.: Influence of Defects on the Infrared Spectra of Polymers, 57
Orofino, T. A.: see Burke, J. J.
Padden, Jr., F. J.: see Vadimsky, R. G.
Paterson, M. S.: see Weaver, C. W.
Patterson, D.: see Dondos, A.
Paul, D. R.: Effect of Immobilizing Adsorption on the Diffusion Time Lag, 1811
Pauplis, W. J.: see Little, J. N.
Pedemonte, E.: see Bianchi, U.
Peterlin, A.: Bond Rupture in Highly Oriented Crystalline Polymers, 1151
——: see Baltá-Calleja, F. J.
——: see Crist, B.
Pollack, S. S. and Magill, J. H.: Small-Angle X-ray Scattering from Poly(tetramethyl-*p*-Silphenylene) Siloxane (TMPS) Fractions, 551
Pratt, M. C.: see Malcolm, G. N.
Prime, R. B. and Wunderlich, B.: Extended-Chain Crystals. III. Size Distribution of Polyethylene Crystals Grown under Elevated Pressure, 2061
—— and Wunderlich, B.: Extended-Chain Crystals. IV. Melting under Equilibrium Conditions, 2073
——, Wunderlich, B., and Melillo, L.: Extended-Chain Crystals. V. Thermal Analysis and Electron Microscopy of the Melting Process in Polyethylene, 2091

Prins, W.: see Blokland, R.
Radhakrishnan, T.: see Iyer, K.R.K.
Rahl, F.: see Litt, M.
Reznik, R. B.: see Maron, S. H.
Rhodes, M. B. and Stein, R. S.: Scattering of Light from Assemblies of Oriented Rods, 1539
Rider, J. G. and Hargreaves, E.: Yielding of Oriented Poly(Vinyl Chloride), 829
Rinde, J. A.: see Smith, T. L.
Robertson, R. E.: Formation of Kink Bands in Oriented Polymers, 1315
Rogers, C. E.: see Lundberg, J. L.
Roldan, L. G.: see Litt, M.
Rosenheck, K.: see Shmueli, U.
Rossi, C.: see Bianchi, U.
Roy-Chowdhury, P.: Adiabatic Compressibility of Polyelectrolytes in Aqueous Solutions. II. Poly(4-vinyl-*N*-*n*-butylpyridinium Bromide, 1451
Ryan, F. W.: see Schonhorn, H.
Saba, R. G.: see McCammon, R. D.
Sadler, D. M., Williams, T., Keller, A., and Ward, I. M.: GPC Analysis of Degraded Annealed Single Crystals, 1819
Saeda, S.: see Yamaguchi, K.
Safford, G. J.: see Henry, A. W.
Saito, O., Nagasubramanian, K., and Graessley, W. W.: Molecular Weight Distribution in Branched Polymers, 1937
——: see Nagasubramanian, K.
——: see Sasabe, H.
Sakota, K.: see Matsuzaki, K.
Samuels, R. J.: Solid-State Characterization of the Structure and Deformation Behavior of Water-Soluble Hydroxypropylcellulose, 1197
Sasabe, H., Saito, S., Asahina, M., and Kakutani, H.: Dielectric Relaxations in Poly(vinylidene Fluoride), 1405
Schmidt, G. F.: see Fischer, E. W.
Schonhorn, H. and Ryan, F. W.: Effect of Polymer Surface Morphology on Adhesion and Adhesive Joint Strength. II. FEP Teflon and Nylon 6, 105
Schultz, J. M. and Scott, R. D.: Temperature Dependence of Secondary Crystallization in Linear Polyethylene, 659
——: Transient Effects in the Crystallization of Polyethylene, 821
Schwarz, W. H.: see Bruce, C.
Scott, R. D.: see Schultz, J. M.
Shaw, J. C.: see Delatycki, O.
Shelden, R., Fueno, T., and Furukawa, J.: Statistical Models in the Study of Stereospecific Polymerization, 763
——: Effects of Catalyst Heterogeneity on Polymer Tacticity, 1111
——: see Evans, D.
Shen, M.: see Johnston, W. V.
Shindo, Y. and Stein, R. S.: Birefringence and Dichroism of Rubbery Copolymers, 2115
Shmueli, U., Traub, W., and Rosenheck, K.: Structure of Poly(*N*-butyl Isocyanate), 515
Shultz, A. R. and McCullough, C. R.: Melting Temperatures of Poly(2,6-dimethyl-1,4-phenylene oxide) in Methylene Chloride Solutions: Thermodynamic Analysis, 1577
Shyluk, W. P. and Smith, R. W.: Poly-(1,2-dimethyl-5-vinylpyridinium Methyl Sulfate). IV. Flocculation of Crystalline Silica, 27
Smith, K. A.: see Cottrell, F. R.
Smith, R. W.: see Shyluk, W. P.
Smith, T. L. and Dickie, R. A.: Effect of Finite Extensibility on the Viscoelastic Properties of a Styrene-Butadiene Rubber Vulcanizate in Simple Tensile Deformations up to Rupture, 635
—— and Rinde, J. A.: Ultimate Tensile Properties of Elastomers. V. Rupture in Constrained Biaxial Tensions, 675
——: see Dickie, R. A.
Smith, W. V. and Feldman, G. A.: Resolution of GPC Columns, 163
Soda, A.: see Tanzawa, H.
Soen, T.: see Takashi, I.
Sperling, L. H. and Friedman, D. W.: Synthesis and Mechanical Behavior of Interpenetrating Polymer Networks: Poly(ethyl Acrylate) and Polystyrene, 425
——: see Klarman, A. F.
Stapleton, G. G.: see Evans, D.
Stein, R. S.: Effect of the Internal Field on the Birefringence of Polymer Crystals, 1021
——: see Shindo, Y.
——, Erhardt, P. F., and Chu, W.: Effect of Birefringence on Low-Angle Light-Scattering Patterns from Oriented Polymer Films, 271
—— and Wilkes, G. L.: Scattering of Light from Deformed Regions Surrounding Voids and Inclusions in High Polymers, 1695
——: see Rhodes, M. B.
——: see Wilkes, G. L.
Stewart, C. W.: Energy Dissipation by Pulsating Air Bubbles in a Viscoelastic Medium, 143
Stewart, Sr., C. W.: see Fogiel, A. W.
Sugiura, N.: see Ito, T.
Summerfield, G. C.: see Chang, Y. I.
Takahara, H.: see Nomura, S.
Takashi, I., Soen, T., Hashimoto, T., and Kawai, H.: Thermodynamic Interpretation of Domain Structure in Solvent-Cast Films of A-B Type Block Copolymers of Styrene and Isoprene, 1283
Takserman-Krozer, R.: see Ziabicki, A.
Tanaka, A.: see Onogi, S.
Tanaka, T.: see Tanzawa, H.
Tanzawa, H., Tanaka, T., and Soda, A.: Dilute Solution Properties of Poly(α-methylstyrene Ethylene) "Regular" Sequence Copolymers, 929
Thomas, T. H. and Kendrick, T. C.: Thermal Analysis of Polydimethylsiloxanes. I. Thermal Degradations in Controlled Atmospheres, 537

Thompkins, D. A.: see Gent, A. N.
Tokcan, G.: see Bueche, F.
Toyota, N. and Machi, S.: Morphology of Polyethylene Crystals as Polymerized by γ-Radiation, 153
Traub, W.: see Shmueli, U.
Tung, L. H.: Determination of Branching Distribution by Concurrent GPC and Sedimentation Velocity Experiments, 47
—— and Knight, G. W.: GPC and Sedimentation (Flotation) Velocity Measurements on Linear and Branched Polyethylene, 1623
Ueda, S.: see Kataoka, T.
Uy, W. C.: see Graessley, W. W.
Vadimsky, R. G., Keith, H. D., and Padden, Jr., F. J.: Electron Microscopic Study of Deformation in Polyethylene, 1367
Via, G. H.: see Krigbaum, W. R.
Vrij, A.: Influence of an Interfacial Free-Energy Correction on the Expansion of a Polymer Coil in a Solvent, 1627
Wada, Y., Itani, A., Nishi, T., and Nagai, S.: Grüneisen Constant and Thermal Properties of Crystalline and Glassy Polymers, 201
——: see Kawamura, Y.
Wall, L. A.: see Brown, D. W.
Wallach, M. L.: Polyamic Acid Solution Viscosity, 1435
——: Polyimide Solution Properties, 1995
Wand, T. T., Kwei, T. K., and Frisch, H. L.: Diffusion in Glassy Polymers. III, 2019
Wang, T. T. and Kwei, T. K.: Effect of Induced Thermal Stresses on the Coefficients of Thermal Expansion and Densities of Filled Polymers, 889
——: see Frisch, H. L.
Ward, I. M. and Williams, T.: Random Attack Model for Polyethylene Degradation, 1585
——: see Sadler, D. M.
Waters, J. L.: see Little, J. N.
Weaver, C. W. and Paterson, M. S.: Stress-Strain Properties of Rubber at Pressures Above the Glass Transition Pressure, 587
Wilkes, G. L. and Stein, R. S.: Effect of Morphology on the Mechanical and Rheo-optical Properties of a Styrene-Butadiene-Styrene Block Copolymer, 1525
——: see Stein, R. S.
Williams, J. G.: see Delatycki, O.
Williams, T.: see Sadler, D. M.
——: see Ward, I. M.
Witenhafer, D. E. and Koeing, J. L.: Effect of Bromine on Polyethylene Crystals, 1279
Wooden, D. C.: see Lovering, E. G.
Woodward, A. E. and Morrow, D. R.: Plastic Deformation of Poly-4-methylpentene-1 Crystals, 1651
——: see Frosini, V.
Work, R. N.: see McCammon, R. D.
Wunderlich, B. and Davidson, T.: Extended-Chain Crystals. I. General Crystallization Conditions and Review of Pressure Crystallization of Polyethylene, 2043
——: see Davidson, T.
——: see Gruner, C. L.
——: see Prime, R. B.
Yamada, M.: see Ishikawa, K.
Yamaguchi, K. and Saeda, S.: Chromatographic Fractionation of Polystyrene: An Evaluation of the Nature of Column Fractionation, 1303
Yamaguchi, Y.: see Nomura, S.
Yamano, K.: see Matsuda, H.
Yau, W. W.: Steric Exclusion and Lateral Diffusion in Gel-Permeation Chromatography, 483
Ziabicki, A. and Takserman-Krozer, R.: General Dynamic Theory of Macromolecular Networks. I. Definitions and Classification, 2005
Ziegel, K. D., Frensdorff, H. K., and Blair, D. E.: Measurement of Hydrogen Isotope Transport in Poly(Vinyl Fluoride) Films by the Permeation-Rate Method, 809
Zupko, H. M.: see Kwei, T. K.

SUBJECT INDEX, VOLUME 7

Adhesion, effect of polymer surface morphology on, 105
Annealing: of nylon 66 yarn, 113
of extended-chain polyethylene crystals, 2099
Birefringence: dynamic strain, apparatus, 1907
effect of, on low-angle light scattering from polymer films, 271, 279
effect of, on scattering of polarized light, 279
of cotton fibers, 983
of crosslinked polyurethanes, 1595
of hydroxypropyl cellulose, 1197
of nylon 66, 1033
of *cis*-1,4-polybutadiene networks, 1123
of polymer crystals, 1021
of polypropylene, 231
of polyvinyl chloride, 829
of rubbery copolymers, 2115
of styrene-butadiene block copolymer, 1525
Block copolymers, domain structure in, 249, 1283
light scattering from, 1695
styrene-butadiene, 1525
Branching distribution, 47
in polyvinyl acetate, 1919
Carbon-black filled elastomers, stretching of, 1483
Carboxymethyl cellulose, Na salt, ultraviolet irradiation of solutions of, 993
Catalyst heterogeneity, effect on tacticity, 1111
Cellulose: crystalline native, hydrogen bonds and stiffness, 783
native, structure of fiber of, 983
regenerated, mechanical anisotropy of films of, 325
regenerated, orientation of crystalline and noncrystalline phases in, 325
triesters, second-order transition temperatures and structure of, 1513
Chain conformation: of polyisobutylene in sheared dilute solutions, 1415
in solution near the theta temperature, 1627
Chain dimensions of polyimides in solution, 1995
Chain folding in crystalline polyethylene, 1785
Chain motion in poly-*p*-chlorostyrene, 1385
Chain scission: in irridiated natural rubber, 725
in ultraviolet-irridiated aqueous polyelectrolytes, 993
Chromatography of polystyrene, 1303
Chromatography: see also gas-liquid and gel permeation chromatography
Compositional distribution in nylon 66, 1
Compressibility: of polyisobutylene and polystyrene, 219
of poly(4-vinyl-N-*n*-butyl pyridinium bromide) in aqueous solution, 1451
Conformation in solution of model compounds for poly (methyl vinyl ether), 1444
Conformational energy contribution to heat of solution, 845, 855
Craze formation in polycarbonates, 183
Crazes, reinforcement of, by impregnation, 1393
Creep compliance of crosslinked solutions of poly(β-hydroxyethyl methacrylate), 1681
Crosslinked polymers: crystallites in polychloroprene networks, 257
diffusion of solvents in epoxy polymers, 867, 879
dynamic theory of networks, 2005
effect of blending sol and gel fractions on viscoelasticity of, 423
elasticity and structure of crosslinked polyurethanes, 1595
epoxy-diamine networks, viscoelastic properties of, 753
formation of, by ultraviolet irradiation of aqueous polyelectrolytes, 993
interpenetrating networks of poly(ethyl acrylate) and polystyrene, 425
irradiated natural rubber, 725
stress-optical coefficient of *cis*-1,4-polybutadiene and *cis*-1,4-polyisoprene networks, 1123
swelling of poly(4-vinyl pyridine), 1101
thermodynamics of swelling of polymer network gels, 357
viscoelastic properties of crosslinked solutions of poly(β-hydroxyethyl methacrylate), 1681
Crystal formation in polymerization of polyethylene, 153
Crystal structure: of hydroxypropyl-cellulose, 1197
of polyaziridines, 463
of poly(N-butyl isocyanate), 515
unit cell dimensions of poly(ethylene adipate), poly(ethylene sebacate), and poly(ethylene suberate), 1119
Crystalline polymers: bond rupture in, 1151
thermal properties of, 201
Crystallinity, degree of, 37
and quenching of polypropylene, 171
of hydroxylpropyl cellulose, 1197
Crystallite orientation:
in drawn *trans*-polychloroprene, 257
in hydroxypropyl cellulose, 1197
in regenerated cellulose, 325
in poly(ethylene terephthalate), 667

and mechanical relaxation of polypropylene, 389
Crystallization: of polyamides, 123
of polyethylene under high pressure, 377
of spherulites, 1187
Crystallization kinetics of polyethylene, 1755
Crystallization, secondary, of linear polyethylene, 659, 821
Crystals: chain folding in polyethylene, 1785
birefringence of polymer, 1021
Defects in chain structure, 57
Deformation: behavior of hydroxypropyl cellulose, 1197
mechanism of, 171
plastic, of poly(4-methylpentene-1) crystals, 1651
of polyethylene under pressure, 1439
Degradation: of aqueous polyelectrolytes by irradiation, 993
of natural rubber by irradiation, 725
of polyethylene, random attach model, 1585
Degradation, thermal: see pyrolysis
Degree of polymerization, distribution of, 241
Density, effective, of filled polymers, 889
Depolymerization: of heterogeneous chains, 77
of poly(dimethyl siloxanes), 537
Deuterium and hydrogen transport in poly(vinyl fluoride) films, 809
Dichroism: infrared, 171
absorption and emission, 709
of rubbery copolymers, 2115
Dielectric absorption in poly(vinyl chloride), 1473
Dielectric dispersion: in poly-*p*-chlorostyrene, 1385
in poly(vinylidene fluoride), 1405
Dielectric properties: of methacrylate polymers, 1559
of polystyrene and polychlorostyrene, 1721
Dielectric relaxation of polymers in the solid state, 1835
Differential scanning calorimetry of polyethylene, 1755
Differential thermal analysis: of extended-chain polyethylene crystals, 2091, 2099
of extended-chain and folded-chain crystals of polyethylene under high pressure, 377
of nylon 66, 1033, 1059
of poly(ethylene terephthalate), 1059
of *trans*-1,4-polyisoprene, 1639
of polystyrene, 1033
Diffusion: of gases in polymer films, 809
of methane in polyisobutylene, 947
of solvent in glassy polymers, 2019
Dilatometry: of cellulose triesters, 1513
of extended-chain polyethylene crystals, 2073
Distribution function for chain configurations in macromolecular networks, 2005
Domain structure in block copolymers, 249, 1283
Drawing of single-crystal mats, 2029
Dynamic mechanical absorption in poly(vinyl chloride), 1473
Dynamic mechanical properties and melting behavior, 1059
Dynamic properties, effect of shear stress on, 475
Dynamic shear behavior of amorphous polymers before and after stretching, 525
Dynamic strain-birefringence, apparatus for measurement of, on polymer films, 1907
Elasticity of crosslinked polyurethanes, 1595
Elastomers, surface energy of holes or particles in, 1483
Elastomers: see also rubber
Electron microscopy: of block copolymers, 1283
of carbon from pyrolysis of poly(vinylidene chloride), 87
of crosslinked polyurethanes, 1595
of fracture surfaces in nylon 66, 1033
of fracture surfaces in poly(tetramethyl-*p*-silphenylene) siloxane, 743
of hydroxypropyl cellulose films, 1197
of intercrystalline links in polyethylene, 1367
of oriented polymers, 1315
of polyethylene crystals formed in γ-ray polymerization, 153
of polyethylene extended-chain crystals, 2051, 2061, 2091, 2099
of polymer crazes, 1393
of poly(4-methyl pentene-1) crystals, 1651
of poly(vinylidene chloride), 87
Electron spin resonance of aqueous, uv irradiated, poly(acrylic acid), 993
Emission spectra of proflavine-dyed nylon 66, 497
Energy: dissipation of, in viscoelasticity, 143
transfer of, in nylon 66 film, 497
Epoxy-diamine networks, viscoelastic properties, 753
Epoxy polymers, diffusion of solvents in, 867, 879
Excluded volume in polymer solutions and networks, 357
Expansion of polymer coil in solution, 1627
Extended-chain polyethylene crystals: annealing of, 2099
density of, 2051, 2061, 2099
differential thermal analysis of, 2091, 2099
dilatometric measurements on, 2073
electron microscopy of, 2051, 2061, 2091, 2099
formation of, under pressure, 2043, 2051
melting of, 2073, 2091
molecular weight distribution of, 2061
size distribution of, 2061
Extreme-values statistics in brittle fracture, 1863
FEP Teflon, 105

Fiber structure, 1259
Filled polymers: relative modulus of, 1705
thermal expansion and density of, 889
Flocculation of crystalline silica, 27
Fluorescence polarization, 709
Fluorine-containing polymers, glass transitions in, 601
Fractionation: of poly(dimethyl siloxanes), 297
of polystyrene, 1303
of styrene-acrylonitrile copolymers, 1357
Fracture, brittle, statistics of, 1863
Fracture surface morphology, 743
Gas-liquid chromatography of poly(dimethyl siloxanes), 297
Gel permeation chromatography: determination of branching distribution by, 47
fast, operational parameters in, 1775
of degraded annealed single crystals, 1819
of linear and branched polyethylene, 1623
of polydimethylsiloxanes, 297
of polypropylene isomers, 963
resolution of columns in, 163
steric exclusion and lateral diffusion in, 483
Gel point in polycondensation, 1116
Gel and sol blends, viscoelastic properties of, 423
Gels, thermodynamics of swelling of, 357
Glass transition of stretched natural rubber, 1983
Glass transition temperature: determined by means of compatible polymer mixtures, 795
of fluorine containing polymers, 601
of poly(ϵ-caprolactone), 795
Glassy polymers: diffusion in, 867, 879, 2019
volume relaxation in, 1669
yield stress behavior of, 735
Grüneisen constant, 201
Heat of mixing of polyether solutions, 1495
Heat of solution: conformational energy contribution to, 845, 855
of poly(dimethyl siloxane), 855
of polyisobutylene, 855
of polystyrene, 855
of poly(vinyl acetate), 855
Holes in elastomers, expansion of, 1483
Hydrogen and deuterium transport in poly(vinyl fluoride) films, 809
Hydrogen bonding in hydroxypropyl cellulose, 1197
Hydrogen bonds and axial stiffness of crystalline cellulose, 783
Hydroxypropyl cellulose, molecular structure and morphology, 1197
Imino ethers, cyclic, structure of polymers of, 463
Infrared dichroism and deformation under stress, 171
Infrared spectra: of brominated polyethylene, 1279
in cryogenic transitions in poly(ethylene terephthalate), 1085
effect of crystal defects on, 57
of hydroxypropyl cellulose, 1197
of mixed crystals of polyethylene and perdeuteropolyethylene, 1785
of molten poly(ethylene glycol), 1735
of polypropylene isomers, 963
Inherent viscosity of polyimides, 1995
Interfacial free energy effect of, on expansion of polymer coil in solution, 1627
Internal field, effect on birefringence of polymer crystals, 1021
Intrinsic viscosity: of aqueous polyelectrolyte solutions, 993
of α-methyl styrene, ethylene copolymers, 929
in mixed solvents, 209
new method for determining, 309
of polycaprolactam, 411
of poly(ϵ-caprolactone), 897
of poly(ethylene oxide), 575
of poly(methyl acrylate), 609
of poly(methyl methacrylate), 309
of poly(methyl-3,3,3-trifluoropropyl siloxane), 563
of polypropylene isomers, 963
of polystyrene, 309
of poly(N-vinyl carbazole), 285
of styrene, methyl acrylate copolymer, 609
of trifunctionally branched polymers, 1955
Irradiation of natural rubber, stress relaxation during, 725
Irradiation, ultraviolet, of aqueous polyelectrolytes, 993
Isomerism, structural and steric, of polypropylenes, 963
Kinetics: of branching in polyvinyl acetate, 1919
of crystallization of polyethylene, 1755
of polymerization and distribution of degree of polymerization, 241
of polymerization and effects of catalyst heterogeneity, 1111
of secondary crystallization of linear polyethylene, 659
of spherulitic crystallization, 1187
Kink bands in oriented polymers, 1315
Laser excited Raman scattering in polybutene-1, 1965
Light scattering: in birefringent films containing spherulites, 271, 279
in block copolymer films, 1695
in crosslinked polyurethanes, 1595
in deformed regions in amorphous polymers, 1695
in hydroxypropyl cellulose, 1197
in natural rubber films, 1695
in oriented rods, 1539
in polycarbonate films, 1695
in polyethylene films, 271
Light scattering in solutions: of α-methyl styrene, ethylene copolymers, 929
of polyisobutylene in shear, 1415
of poly(methyl acrylate), 609
of poly(methyl-3,3,3-trifluoropropyl siloxane), 563
of polypropylene isomers, 963

of poly(N-vinylcarbazole), 285
of styrene, methyl acrylate copolymer, 609
Mechanical anisotropy of regenerated cellulose films, 325
Mechanical behavior: of polycarbonate craze, 183
of polypropylene, ethylene-propylene rubber, and blends, 171
Mechanical properties of styrene-butadiene block copolymers, 1525
Mechanical relaxation: in nylon 66, 1059
in polyethylene, 1329
in polyethylene terephthalate, 1059
in polypropylene, morphology and, 389
in polytetrafluoroethylene, 1329
Melting: of nylon 6, 1461
of polyethylene extended-chain crystals, 2073, 2091
Melting temperature of poly(2,6-dimethyl-1,4-phenylene oxide), 1577
Melting transitions in *trans*-1,4-polyisoprene, 1639
Methacrylate polymers, dielectric properties of, 1559
Microheterogeneous polymer mixtures, 1978
Microphases in polymer mixtures, 1987
Microphases: see also domain structure
Microscopy: see electron microscopy and optical microscopy
Microtomy of crazed polymers, 1393
Molecular dimensions: of poly(ϵ-caprolactone), 897
of poly(ethylene oxide) in solution, 575
of poly(methyl acrylate), 609
of poly(methyl-3,3,3-trifluoropropyl siloxane) in solution, 563
of poly(N-vinyl carbazole) in solution, 285
of styrene, methyl acrylate copolymer, 609
Molecular motion: in poly(dimethyl siloxane), 433
in poly(ethylene oxide), 1005
in poly(vinylidene fluoride), 1405
Molecular structure: of poly(vinyl chloride) from Raman spectra, 1075
of hydroxypropyl cellulose, 1197
Molecular weight: of α-methylstyrene, ethylene, regular-sequence copolymer, 929
of poly(ϵ-caprolactone), 897
of poly(ethylene oxide), 575
of poly(methyl acrylate), 609
of poly(methyl-3,3,3-trifluoropropyl siloxane), 563
of polypropylene isomers, 963
of poly(N-vinyl carbazole), 285
of styrene, methyl acrylate copolymer, 609
Molecular weight distribution: and compositional distribution, 1
in depolymerization of polydimethylsiloxane, 537
in free-radical polymerization with branching, 1937
in poly(dimethyl siloxanes), 297
in polyethylene extended-chain crystals, 2061
in polymers undergoing random crosslinking and scission, 1895
in random depolymerization theory, 77
Morphology: and melting behavior, 1033
of cotton fibers, 983
of crosslinked polyurethanes, 1595
of deformed crystals of poly(4-methyl pentene-1), 1651
of drawn nylon 6, 1461
of drawn *trans*-polychloroprene, 257
of drawn polypropylene, 1275
of fibers, 1259
of fibers, role in bond rupture, 1151
of hydroxypropyl cellulose, 1197
of nylon and viscose filaments, 983
of nylon 66, 1033, 1059
of *trans*-polychloroprene, 257
of polyethylene crystals, 153, 593, 1033
of polyethylene from NMR data, 1165
of polyethylene, intercrystalline links in, 1367
of poly(ethylene terephthalate), 667, 1059
of polymer surfaces, 105, 743, 1033
of polypropylene, effect on mechanical relaxation, 389
of polystyrene, 1033
of poly(tetramethyl-*p*-silphenylene siloxane), 551, 1187
of poly(vinylidene chloride), 87
of regenerated cellulose films, 325
of styrene-butadiene block copolymer, 1525
Networks, dynamic theory of, 2005
Neutron scattering: in crystalline polyethylene, 405
in polydimethyl siloxane, 433
Nuclear magnetic resonance: of model compounds of poly(methyl vinyl ether), 1444
spectra of polypropylene isomers, 963
spin lattice relaxation in linear polyethylene, 1165
spin lattice relaxation in poly(ethylene oxide), 1005
Nucleation of spherulite growth, 1883
Nylon 6: fiber structure of, 1259
melting and morphology of, 1461
surface morphology and adhesion of, 105
Nylon 66: characterization of, 1
energy transfer in films of, 497
melting behavior of, 1033
dynamic mechanical properties of, 1059
Nylon 66 yarn, 113
Optical anisotropy in bulk polymers and orientation of structural units, 709
Optical microscopy: of spherulites in even-odd polyamides, 123
of spherulites in poly(ω-aminocarboxylic acids), 123
of polycarbonate craze, 183
of polyethylene spherulites, 593, 821
of supermolecular structure in hydroxypropyl cellulose, 1197
Osmotic pressure: of α-methyl styrene, ethylene copolymer, 929
of poly(methyl acrylate), 609

of poly(N-vinyl carbazole), 285
of styrene, methyl acrylate copolymer, 609
Permeability of polymer films to gases, 809
Polyacrylamides, shear viscosity of, 909
Poly(acrylic acid), Na salt, ultraviolet irradiation of aqueous, 993
Poly(N-acyl aziridines), crystal structure of, 463
Poly(N-aryl aziridines), crystal structure of, 463
Polyamic acid, solution viscosity of, 1435
Polyamides, even-odd, spherulites in, 123
Poly(ω-aminocarboxylic acids), spherulites in, 123
cis-1,4-Polybutadiene networks, stress-optical coefficients of, 1123
Polybutene-1, laser-excited Raman scattering in, 1965
Poly(N-butyl isocyanate), crystal structure of, 515
Polycaprolactam, viscometry of, 411
Poly(ε-caprolactone): glass transition temperature in, 795
sedimentation and viscosity of, 897
Polycarbonate: stress-strain behavior and craze of, 183
yield-stress behavior of, 735, 1745
light scattering from films of, 1695
trans-Polychloroprene, networks, morphology of, 257
Poly(*p*-chlorostyrene): dielectric dispersion in solutions of, 1385
shear viscosity in solutions of, 1385
Polychlorostyrenes, dielectric loss in, 1721
Poly(2,6-dimethyl-1,4-phenylene oxide): 1577
crazes in, 1393
Polydimethylsiloxane: gel permeation chromatography of, 297
heat of solution of, 855
neutron scattering by, 433
pyrolysis of, 537
Poly(1,2-dimethyl-5-vinylpyridinium methyl sulfate), flocculation of silica by, 27
Polyelectrolytes, ultraviolet irradiation of aqueous solutions of, 993
Poly(ethyl acrylate), networks with polystyrene, 425
Polyethylene: birefringence in films of, 271
bromination of, 1279
chain defects in, and infrared spectra of, 57
chain folding in, 1785
crystallization rates of, from calorimetry, 1755
deformation of, 1367, 1439
degradation of, 1585
density and crystallinity of, 37
differential thermal analysis of, at high pressure, 377
drawing of single-crystal mats of, 2029
drawn high-density, kink bands in, 1315
dynamic properties of melts of, 475
extended-chain crystals of, 2043, 2051, 2061, 2073, 2091, 2099
fiber, structure of, 1259
gel permeation chromatography of degraded single crystals of, 1819
gel permeation chromatography of linear and branched, 1623
Grüneisen constant of, 201
infrared absorption of mixed crystals of, 1785
intercrystalline links in, 1367
mechanical relaxation of, 1329
melting behavior, 1033
morphology of crystals, 153
neutron scattering by, 405
secondary crystallization of, 659, 821
sedimentation of linear and branched, 1623
spherulite growth rate in, 1883
spherulites in, 593
spin lattice relaxation in linear, 1165
thermal conductivity of, 201
thermal expansion of, 201
Poly(ethylene adipate), unit-cell of crystal of, 1119
Poly(ethylene-butene-1) copolymer, use of, in differential thermal analysis of polyethylene, 377
Poly(ethylene glycol), infrared absorption and vibrational analysis of, 1735
Poly(ethylene glycol dimethyl ether), solution thermodynamics of, 1495
Poly(ethylene oxide): intrinsic viscosity of, 575
molecular motions in, 1005
Poly(ethylene sebacate), unit-cell of, 1119
Poly(ethylene suberate), unit-cell of, 1119
Poly(ethylene terephthalate): chain folding in, 667
infrared spectra of, 1085
melting and dynamic mechanical properties of, 1059
Poly(β-hydroxyethyl methacrylate), viscoelastic properties of crosslinked solutions of, 1681
Polyimide, from 2,4-diamino isopropyl benzene and pyromellitic di-anhydride, 1195
Polyimide, from 4,4′-diamino diphenyl ether and pyromellitic anhydride, 1995
Polyisobutylene: compressibility of, 219
diffusion and solubility of methane in, 947
heat of solution of, 855
molecular conformation of, in shear field, 1415
surface tension of solutions of, 1379
cis-1,4-Polyisoprene network, stress-optical coefficient of, 1123
trans-1,4-Polyisoprene: melting and polymorphic forms of, 1639
spherulite growth rate in, 1883
Poly(maleic acid)-(poly(vinyl acetate) copolymer, Na salt, ultraviolet irradiation of aqueous, 993
Poly(methyl acrylate): intrinsic viscosity of, 609
light scattering from, 609
osmotic pressure of, 609
Poly(methyl methacrylate): brittle

fracture of, containing polytetrafluoroethylene particles, 1863
Grüneisen constant of, 201
intrinsic viscosity of, in mixed solvents, 209
thermal conductivity of, 201
thermal expansion of, 201
Poly(4-methyl pentene-1), plastic deformation in crystals of, 1651
Poly(2-methylstyrene), volume recovery of, in glassy state, 1669
Poly(2-methylstyrene)-polyethylene regular sequence copolymers, dilute solution properties of, 929
Poly(methyl-3,3,3-trifluoropropyl) siloxane, light scattering from, and intrinsic viscosity of, 563
Poly(methyl vinyl ether), NMR of model compounds for, 1444
Polypropylene: blends with ethylene-propylene rubber, deformation mechanism in, 171
drawn films of, morphology of, 1275
drawn, isotactic, kink bands in, 1315
effect of morphology on mechanical relaxation of, 389
form birefringence of, 231
isomers of, 963
thermal degradation of, 963
Polystyrene: chromatographic fractionation of, 1303
compressibility of, 219
dielectric loss in, 1721
dynamic shear behavior of, 525
gel permeation chromatography of, 163, 483
Grüneisen constant of, 201
heat of solution of, 855
intrinsic viscosity of, in mixed solvent, 209
melting behavior of, 1033
networks with poly(ethyl acrylate), 425
thermal conductivity of, 201
thermal expansion of, 201
Polystyrene-poly(divinyl benzene) copolymer, branching distribution of, 47
Polystyrene-poly(methyl acrylate) copolymer, intrinsic viscosity of, light scattering from, and osmotic pressure of, 609
Polytetrafluoroethylene, mechanical relaxation of, 1329
Poly(tetramethyl-*p*-silphenylene)siloxane: crystallization study of, 1187
fracture surface morphology in, 743
small-angle X-ray scattering in, 551
spherulite growth rate in, 1883
Polyurethanes, elasticity and structure of crosslinked, 1595
Poly(vinyl acetate): branching in, 1919
dynamic shear behavior of, 525
heat of solution of, 855
intrinsic viscosity of branched, 1955
Poly(N-vinylcarbazole), light scattering in osmotic pressure of, and viscosity of, 285
Poly(vinyl chloride): chain defects and infrared spectra of, 57
mechanical and dielectric absorptions in, 1473
modified, mechanical and dielectric absorptions in, 1473
use of, with poly(ε-caprolactone), in glass transition study, 795
yield-stress behavior of, 735, 829, 1745
Poly(vinyl fluoride), isotope transport through films of, 809
Poly(vinylidene chloride), morphology and pyrolysis of, 87
Poly(vinylidene fluoride): dielectric dispersion of, 1405
Raman scattering in, 1489
Poly(4-vinyl-N-*n*-butylpyridinium bromide), compressibility in aqueous solutions, 1451
Poly(vinyl isobutyl ether), dynamic shear behavior of, 525
Poly(vinyl propionate), dynamic shear behavior of, 525
Poly(2-vinylpyridine), intrinsic viscosity of, in mixed solvents, 209
Poly(4-vinylpyridine) crosslinked gel, swelling of, 1101
Pyrolysis: of poly(dimethyl siloxanes), 537
of polypropylene isomers, 963
of poly(vinylidene chloride), 87
Raman scattering: in nonplanar poly(vinylidene fluoride), 1489
laser excited, in polybutene-1, 1965
Raman spectra of poly(vinyl chloride) 1075
Rheo-optical properties of styrene, butadiene block copolymer, 1525
Rubber, natural: glass transition of stretched, 1983
light scattering from films of, 1695
stress relaxation during irradiation of, 725
Rubber, stress-strain properties of, above the glass transition pressure, 587
Rubber, styrene butadiene vulcanizate: viscoelastic properties of, 635
ultimate tensile properties of, 675, 687
Rubbery copolymers, dichroism and birefringence, theory of, 2115
Rupture stress of styrene-butadiene vulcanizate, 675, 687
Second order transitions of cellulose triesters, 1513
Second virial coefficient, 285, 563, 609, 963, 1627
Sedimentation of linear and branched polyethylene, 1623
Shear deformation of polyisobutylene in solution, 1379
Shear modulus: of polyethylene, 1329
of polytetrafluoroethylene, 1329
Shear viscosity of polyacrylamide solutions, 909
Side-chain relaxation in methacrylates, 1559
Silica, crystalline, 27
Single-crystal polyethylene mats, 2029
Size distribution in extended-chain polyethylene crystals, 2061
Solubility: of gases in polymer films, 809
of methane in polyisobutylene, 947

Specific heat of stretched natural rubber, 1983
Spherulites: in crystallization of polymorphic *trans*-1,4-polyisoprenes, 1639
in crystallization of poly(tetramethyl-*p*-silphenylene siloxane), 1187
in even-odd polyamides and poly(ω-aminocarboxylic acids), 123
mechanism for twisting of, 593
in polyethylene polymerized by γ-rays, 157
Spherulitic growth rate, effect of molecular weight on, 1883
Statistics of extreme values in brittle fracture, 1863
Strain-birefringence apparatus, 1907
Stress-optical coefficient in *cis*-1,4-polybutadiene and *cis*-1,4-polyisoprene networks, 1123
Stress-strain relations: in crosslinked polyurethanes, 1595
in crystalline polyethylene, 1439
and energy dissipation in a viscoelastic medium containing pulsating air bubbles, 143
in nylon 66, 1033
in *cis*-1,4-polybutadiene networks, 1123
in polypropylene and ethylene-propylene rubber blends, 171
in rubber above the glass transition pressure, 587
in styrene-butadiene rubber vulcanizates, 635, 675, 687
Styrene-acrylonitrile copolymer: fractionation and chromatography of, 1357
Styrene-isoprene block copolymers, domain structure in, 1283
Styrene-butadiene block copolymers: light scattering in, 1695
mechanical and rheo-optical properties, films of, 1525
Surface energy of holes or particular in elastomers, 1483
Surface tension of polyisobutylene solutions, 1379
Swelling: of epoxy polymers in solvents, 867, 879
of films, optical technique for measuring, 1619
of polymer network gels, 357
Teflon, FEP, 105
Temperature dependence of relative modulus in filled polymers, 1705
Thermal behavior and physical structure, 1033
Thermal conductivity, 201
Thermal expension: 201
of filled polymers, 889
Thermodynamics: of depolymerization of polydimethyl siloxane, 537
of microphase separation, 249
of polyether solutions, 1495
of swelling in gels, 357
Thermogravimetric analysis, graphical treatment of, 1761
Torsional modulus of cellulose triesters, 1513
Vapor pressure of polyether solutions, 1495
Vibrational analysis of molten poly(ethylene glycol), 1735
Vinyl polymers, stereospecific, statistical model for, 775
Viscoelastic properties: of crosslinked polymers, 423
of crosslinked solutions of poly(β-hydroxyethyl methacrylate), 1681
of epoxy-diamine networks, 753
of styrene-butadiene rubber vulcanizate, 635
Viscosity: of polyamic acid solutions, 1435
of poly(*p*-chlorostyrene), 1385
of poly(*p*-chlorostyrene) solutions, 1385
of polyethylene melts, effect of shear stress on, 475
Viscosity, shear, in ionic and nonionic polyacrylamide solutions, 909
Volume recovery of glassy poly(α-methylstyrene), 1669
X-ray diffraction: of polyethylene deformed under compression, 1439
of polyethylene single-crystal mats, 2029
X-ray scattering, small-angle, from poly(tetramethyl-*p*-silphenylene) siloxane, 551
Yield stress behavior: of poly(vinyl chloride), 735, 829, 1745
of polycarbonate, 1745
Young's modulus in filled polymers, 1705